

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 1 / 11

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

Article No. (manufacturer/supplier): 20-3  
Trade name/designation: Ahrweilit Spachtel  
weiß

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses**

Putty

**Uses advised against**

Aware of any other information

**1.3. Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/only representative/downstream user/distributor)**

P.A. Jansen GmbH u. Co., KG  
Hochstadenstraße 22 Telephone: +49 2641 3897-0  
D-53474 Bad Neuenahr-Ahrweiler Telefax: +49 2641 3897-28  
Homepage: www.jansen.de

**Department responsible for information:**

laboratory

E-mail (competent person) sicherheitsdatenblatt@jansen.de

**1.4. Emergency telephone number**

Emergency telephone number +49 2641 3897-51  
Only available during office hours.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**2.2. Label elements**

The product is classified and labelled according to EC directives or corresponding national laws.

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**

**Hazard statements**

No data available

**Precautionary statements**

No data available

**Hazard components for labelling**

No data available

**Supplemental hazard information**

EUH208 Contains Reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1); 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition / information on ingredients**

**3.2. Mixtures**

**Description** water-dispersion filler

**Hazardous ingredients**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

**EC No.** **REACH No.**

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3 Ahrweilit Spachtel  
Print date: 19.03.2021 Revision date: 20.10.2020  
Version: 65.68 Issue date: 20.10.2020

EN  
Page 2 / 11

CAS No. Index No.	Designation classification: // Remark	weight-%
----------------------	--	----------

No data available

**Additional information**

Full text of classification: see section 16

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

**In case of inhalation**

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

**Following skin contact**

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

**After eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

**Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

In all cases of doubt, or when symptoms persist, seek medical advice.

**4.3. Indication of any immediate medical attention and special treatment needed**

First Aid, decontamination, treatment of symptoms.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

**Unsuitable extinguishing media**

strong water jet

**5.2. Special hazards arising from the substance or mixture**

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

**5.3. Advice for firefighters**

Provide a conveniently located respiratory protective device.

**Additional information**

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Ventilate affected area. Do not breathe vapours.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

**6.3. Methods and material for containment and cleaning up**

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

Article No.: 20-3 Ahrweilit Spachtel  
Print date: 19.03.2021 Revision date: 20.10.2020  
Version: 65.68 Issue date: 20.10.2020

EN  
Page 3 / 11

**6.4. Reference to other sections**

Observe protective provisions (see section 7 and 8).

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advices on safe handling**

The usual precautionary measures for handling chemicals should be observed.

**Further information**

No special measures are required.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

No special measures are required. Keep container tightly closed. Store carefully closed containers upright to prevent any leaks.

**Hints on joint storage**

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Further information on storage conditions**

Keep away from frost! Keep only in the original container in a cool, well-ventilated place. Take care of instructions on label.

**7.3. Specific end use(s)**

Observe technical data sheet. Observe instructions for use.

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limit values**

Limestone

EC No. 215-279-6 / CAS No. 1317-65-3

WEL, TWA: 10 mg/m<sup>3</sup>

Remark: (inhalable fraction)

WEL, TWA: 4 mg/m<sup>3</sup>

Remark: (respirable fraction)

Titanium dioxide

EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 4 mg/m<sup>3</sup>

Remark: (respirable fraction)

WEL, TWA: 10 mg/m<sup>3</sup>

Remark: (inhalable fraction)

Barium sulfate

EC No. 231-784-4 / CAS No. 7727-43-7

WEL, TWA: 10 mg/m<sup>3</sup>

Remark: (inhalable fraction)

WEL, TWA: 4 mg/m<sup>3</sup>

Remark: (respirable fraction)

**Additional information**

TWA : Long-term occupational exposure limit value

STEL : short-term occupational exposure limit value

Ceiling : peak limitation

**DNEL:**

Propane-1,2-diol

EC No. 200-338-0 / CAS No. 57-55-6

DNEL long-term inhalative (local), Workers: 10 mg/m<sup>3</sup>

DNEL long-term inhalative (systemic), Workers: 168 mg/m<sup>3</sup>

DNEL long-term oral (repeated), Consumer: 85 mg/kg

DNEL long-term dermal (systemic), Consumer: 213 mg/kg

DNEL long-term inhalative (local), Consumer: 10 mg/m<sup>3</sup>

DNEL long-term inhalative (systemic), Consumer: 50 mg/m<sup>3</sup>

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3 Ahrweilit Spachtel  
Print date: 19.03.2021 Revision date: 20.10.2020  
Version: 65.68 Issue date: 20.10.2020

EN  
Page 4 / 11

Barium sulfate  
EC No. 231-784-4 / CAS No. 7727-43-7  
DNEL long-term inhalative (local), Workers: 10 mg/m<sup>3</sup>  
DNEL long-term inhalative (systemic), Workers: 10 mg/m<sup>3</sup>  
DNEL long-term oral (repeated), Consumer: 13000 mg/kg  
DNEL long-term inhalative (systemic), Consumer: 10 mg/m<sup>3</sup>

Titanium dioxide  
EC No. 236-675-5 / CAS No. 13463-67-7  
DNEL long-term inhalative (local), Workers: 10 mg/m<sup>3</sup>  
DNEL long-term oral (repeated), Consumer: 700 mg/kg

**PNEC:**

Propane-1,2-diol  
EC No. 200-338-0 / CAS No. 57-55-6  
PNEC aquatic, freshwater: 260 mg/L  
PNEC aquatic, marine water: 26 mg/L  
PNEC aquatic, intermittent release: 183 mg/L  
PNEC sediment, freshwater: 572 mg/kg  
PNEC sediment, marine water: 57,2 mg/kg  
PNEC, soil: 50 mg/kg  
PNEC sewage treatment plant (STP): 2000 mg/L  
PNEC Secondary Poisoning: 1133 mg/kg

Barium sulfate  
EC No. 231-784-4 / CAS No. 7727-43-7  
PNEC aquatic, freshwater: 0,115 mg/L  
PNEC sediment, freshwater: 600,4 mg/kg  
PNEC, soil: 207,7 mg/kg  
PNEC sewage treatment plant (STP): 62,2 mg/L

Titanium dioxide  
EC No. 236-675-5 / CAS No. 13463-67-7  
PNEC aquatic, freshwater: 0,184 mg/L  
PNEC aquatic, marine water: 0,0184 mg/L  
PNEC aquatic, intermittent release: 0,193 mg/L  
PNEC sediment, freshwater: 1000 mg/kg  
PNEC sediment, marine water: 100 mg/kg  
PNEC, soil: 100 mg/kg  
PNEC sewage treatment plant (STP): 100 mg/L

**8.2. Exposure controls**

Provide good ventilation.

**Personal protection equipment**

**Respiratory protection**

Recommended respiratory protection articles: Inadequately ventilated workplaces and spraying procedures are necessary. Fresh air mask or short-time work combination filter A2-P2 are recommended.

**Hand protection**

Wear protective gloves. Suitable material: NBR (Nitrile rubber)

**Eye/face protection**

Wear closely fitting protective glasses in case of splashes.

**Body protection**

No special measures are necessary.

**Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

**Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Appearance:**

**Physical state:** Liquid

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 5 / 11

<b>Colour:</b>	<b>refer to label</b>
<b>Odour:</b>	<b>mild</b>
<b>Odour threshold:</b>	<b>No data available</b>
<b>pH at 20 °C:</b>	<b>7 - 8 / 100,0 weight-%</b>
<b>Melting point/freezing point:</b>	<b>not determined</b>
<b>Initial boiling point and boiling range:</b>	<b>-33 °C</b> Source: Anhydrous ammonia
<b>Flash point:</b>	<b>Not applicable.</b>
<b>Evaporation rate:</b>	<b>No data available</b>
<b>flammability</b>	
<b>Burning time:</b>	<b>No data available</b>
<b>Upper/lower flammability or explosive limits:</b>	
<b>Lower explosion limit:</b>	<b>0,8 Vol-%</b> Method: literature value
<b>Upper explosion limit:</b>	<b>No data available</b>
<b>Vapour pressure at 20 °C:</b>	<b>0,2 mbar</b> Source: Propane-1,2-diol
<b>Vapour density:</b>	<b>No data available</b>
<b>Relative density:</b>	
<b>Density at 20 °C:</b>	<b>1,79 g/cm<sup>3</sup></b> Method: DIN 53217
<b>Solubility(ies):</b>	
<b>Water solubility at 20 °C:</b>	<b>partially soluble</b>
<b>Partition coefficient: n-octanol/water:</b>	<b>see section 12</b>
<b>Auto-ignition temperature:</b>	<b>No data available</b>
<b>Decomposition temperature:</b>	<b>No data available</b>
<b>Viscosity at °C:</b>	<b>pastös</b>
<b>Explosive properties:</b>	<b>No data available</b>
<b>Oxidising properties:</b>	<b>No data available</b>
9.2. <b>Other information</b>	
<b>Solid content:</b>	<b>79 weight-%</b>
<b>solvent content:</b>	
<b>Organic solvents:</b>	<b>4 weight-%</b>
<b>Water:</b>	<b>17 weight-%</b>

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

No information available.

##### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

##### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

##### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

##### 10.5. Incompatible materials

not applicable

##### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

#### SECTION 11: Toxicological information

Article No.: 20-3 Ahrweilit Spachtel  
Print date: 19.03.2021 Revision date: 20.10.2020  
Version: 65.68 Issue date: 20.10.2020

EN  
Page 6 / 11

Classification according to Regulation (EC) No 1272/2008 [CLP]  
No data on preparation itself available.

#### 11.1. Information on toxicological effects

##### Acute toxicity

Propane-1,2-diol

oral, LD50, Rat: 22000 mg/kg  
dermal, LD50, Rabbit: > 2000 mg/kg  
inhalative (vapours), LC50, Rat: > 20 mg/L (4 h)

Limestone

oral, LD50, Rat: > 5000 mg/kg

Barium sulfate

oral, LD50, Rat: > 5000 mg/kg  
Method: OECD 401

Titanium dioxide

oral, LD50, Rat: > 5000 mg/kg  
Method: OECD 425  
dermal, LD50, Rabbit: > 2000 mg/kg  
inhalative (dust and mist), LC50, Rat: 3,43 - 5,09 mg/L (4 h)  
Method: OECD 403

##### Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

##### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

##### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

##### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

##### Aspiration hazard

Based on available data, the classification criteria are not met.

##### Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

##### Overall Assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

##### Remark

There is no information available on the preparation itself . The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and has not been classified.

## SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

Propane-1,2-diol

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): 40613 mg/L (96 h)  
Method: OECD 203  
Daphnia toxicity, EC50, Mysisidopsis bahia: 18340 mg/L (48 h)  
Method: OECD 202

Algae toxicity, ErC50, Pseudokirchneriella subcapitata: 19000 mg/L (96 h)  
Method: OECD 201

Bacteria toxicity, NOEC, Pseudomonas putida: > 20000 mg/L (18 h)

Limestone

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): > 10000 mg/L (96 h)  
Daphnia toxicity, EC50, Daphnia magna (Big water flea): > 1000 mg/L (48 h)

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 7 / 11

Algae toxicity, ErC50, Desmodesmus subspicatus: > 200 mg/L (72 h)

Titanium dioxide

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): > 100 mg/L (96 h)

Daphnia toxicity, LC50, Daphnia magna: > 100 mg/L (48 h)

Algae toxicity, EC50, Pseudokirchneriella subcapitata: 16 mg/L (72 h)

**Long-term Ecotoxicity**

Propane-1,2-diol

Daphnia toxicity, NOEC, Ceriodaphnia spec: 13020 mg/L (7 d)

**12.2. Persistence and degradability**

Propane-1,2-diol

Biodegradation: 81 % (28 d); Evaluation Readily biodegradable (according to OECD criteria)

Method: OECD 301F

**12.3. Bioaccumulative potential**

Propane-1,2-diol

Partition coefficient n-octanol /water (log P O/W):: -1,07

**Bioconcentration factor (BCF)**

Titanium dioxide

Bioconcentration factor (BCF), Oncorhynchus mykiss (Rainbow trout): 19 - 352

**12.4. Mobility in soil**

Toxicological data are not available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Appropriate disposal / Product Recommendation**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**List of proposed waste codes/waste designations in accordance with EWC**

080410 waste adhesives and sealants other than those mentioned in 08 04 09

**Appropriate disposal / Package Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

**SECTION 14: Transport information**

**This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).**

**No dangerous good in sense of this transport regulation.**

**14.1. UN number**

No data available

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

No data available

**14.4. Packing group**

No data available

**14.5. Environmental hazards**

Land transport (ADR/RID)

No data available

Marine pollutant

No data available

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3 Ahrweilit Spachtel  
Print date: 19.03.2021 Revision date: 20.10.2020  
Version: 65.68 Issue date: 20.10.2020

EN  
Page 8 / 11

**14.6. Special precautions for user**

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

**Further information**

**Land transport (ADR/RID)**

tunnel restriction code -

**Sea transport (IMDG)**

EmS-No. No data available

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

**Regulation (EU) No. 528/2012 on biocides**

Treated goods:

The mixture contains biocidal active ingredients.

Reaction mass of: 5-chloro-2- methyl-4- isothiazolin-3-one

[EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

Pyrithione zinc

Übersetzer

Deutsch

Englisch

Französisch

Sprache erkennen

Italienisch

Französisch

Englisch



**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 9 / 11

---

Zinkpyrithion

Zinc pyrithione

Testen Sie einen neuen Browser mit automatischer  
Übersetzungsfunktion. [Chrome herunterladen](#) [Schließen](#)

Übersetzer

Deutsch

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 10 / 11

---

Englisch

Französisch

Sprache erkennen

Italienisch

Französisch

Englisch

Zinkpyrithion

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2015/830



Article No.: 20-3  
Print date: 19.03.2021  
Version: 65.68

Ahrweilit Spachtel  
Revision date: 20.10.2020  
Issue date: 20.10.2020

EN  
Page 11 / 11

Zinc pyrithione  
1,2-Benzisothiazol-3(2H)-one

**Use**

Main group 2: Preservatives  
Product-type 6: Preservatives for products during storage

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]**

This product is not classified according to Directive 2012/18/EU.

**National regulations**

**Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.  
Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

**15.2. Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Abbreviations and acronyms**

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

**Data sources:**

Data arise from reference works and literature.

**Further information**

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.