

JANSEN

No information available.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Description Classification according to Regulation (EC) No 1272/2008 [CLP]



le No.: date: ion:	42-1-2 09.04.2024 11.81	Edel-Rost Revision date: 14.12.2023 Issue date: 14.12.2023	EN Page 2 / 8	
EC No. CAS No. Index No.	Des	CH No. ignation sification: // Remark	weight-%	%
231-847-6 01-217 7758-99-8 Coppe 029-023-00-4 Acute Aquati		119520566-40 per sulphate pentahydrate e Tox. 4 H302 / Eye Dam. 1 H318 / A atic Chronic 1 H410 (M = 1) e toxicity estimate (ATE): ATE (oral): 481		

Full text of classification: see section 16

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### **Following ingestion**

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

5.1. Extinguishing media

# Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

# Unsuitable extinguishing media

strong water jet

5.2. **Special hazards arising from the substance or mixture** Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

# 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### 6.4. Reference to other sections



Article No.:	42-1-2	Edel-Rost
Print date:	09.04.2024	Revision date: 14.12.2023
Version:	11.81	Issue date: 14.12.2023

EN Page 3 / 8

Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advices on safe handling

Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

# **Further information**

No special measures are required.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

# Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

# Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 8 °C and 30 °C. Protect from heat and direct sunlight.

# 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# Occupational exposure limit values

Copper sulphate pentahydrate Index No. 029-023-00-4 / EC No. 231-847-6 / CAS No. 7758-99-8

WEL, TWA: 0,2 mg/m3
Remark: (Smoke)
WEL, TWA: 1 mg/m3
WEL, STEL: 2 mg/m3
Remark: (Dusts and mist calculated as Cu)

# Additional information

TWA : Long-term occupational exposure limit value STEL : short-term occupational exposure limit value Ceiling : peak limitation

# 8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

# Personal protection equipment

# **Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the weartime limits as specified by the manufacturer. Recommended respiratory protection articles: Inadequately ventilated workplaces and spraying procedures are necessary. Fresh air mask or short-time work combination filter A2-P2 are recommended.

# Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

# Eye/face protection

Wear closely fitting protective glasses in case of splashes.



Article No.:	42-1-2	Edel-Rost
Print date:	09.04.2024	Revision date: 14.12.2023
Version:	11.81	Issue date: 14.12.2023

EN Page 4 / 8

# **Body protection**

No special measures are necessary.

# **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

	Physical state: Colour:	Liquid greenish blue
	Odour:	characteristic
	Odour threshold:	No data available
	Melting point/freezing point:	No data available
	Initial boiling point and boiling range:	100 °C
	initial boining point and boining range.	Source: Water
	Flammability:	No data available
	Lower and upper explosion limit:	
	Lower explosion limit:	0,8 Vol-%
	Upper explosion limit:	Method: literature value No data available
	Flash point:	No data available
	•	No data available
	Auto-ignition temperature:	
	Decomposition temperature:	No data available
	pH at 20 °C:	1,5 - 2,5 / 100,0 weight-%
	Cinematic viscosity (40°C):	> 20 mm²/s
	Viscosity at °C:	viscous
	Solubility(ies):	
	Water solubility at 20 °C:	completely miscible
	Partition coefficient: n-octanol/water:	see section 12
	Vapour pressure at 20 °C:	No data available
	Density and/or relative density:	
	Density at 20 °C:	<b>1,02 g/cm³</b> Method: DIN 53217
	Relative vapour density:	No data available
	particle characteristics:	not applicable
9.2.	Other information	
	Solid content:	6 weight-%
	solvent content:	
	Organic solvents:	0 weight-%
	Water:	94 weight-%
SEC	TION 10: Stability and reactivity	

# 10.1. Reactivity

No information available.

# 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions



Article No.:	42-1-2	Edel-Rost	
Print date:	09.04.2024	Revision date: 14.12.2023	EN
Version:	11.81	Issue date: 14.12.2023	Page 5 / 8

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

# 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

# 10.5. **Incompatible materials** not applicable

# 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Based on available data, the classification criteria are not met.

# Skin corrosion/irritation; Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

# STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

# Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

# 11.2. Information on other hazards

# Endocrine disrupting properties

No information available.

# **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP] There is no information available on the preparation itself . Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

#### Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

# 12.2. Persistence and degradability

Toxicological data are not available.

# 12.3. Bioaccumulative potential

Toxicological data are not available.

# **Bioconcentration factor (BCF)**

Toxicological data are not available.

#### 12.4. Mobility in soil



Article No.:	42-1-2	Edel-Rost
Print date: Version:	09.04.2024 11.81	Revision date: 14.12.2023 Issue date: 14.12.2023
version.	11.01	1550E Udie. 14.12.2025

EN Page 6 / 8

Toxicological data are not available.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

# 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Appropriate disposal / Product

# Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way.Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation.

# List of proposed waste codes/waste designations in accordance with EWC

080111\* Waste paint and varnish containing organic solvents or other dangerous substances \*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

No data available

No data available

No data available

# Appropriate disposal / Package

# Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

# No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

# 14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group

# 14.5. Environmental hazards

Land transport (ADR/RID)	No data available
Marine pollutant	No data available

# 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

# **Further information**

# Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

# No data available

# 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.



Article No.:	42-1-2	Edel-Rost	
Print date:	09.04.2024	Revision date: 14.12.2023	EN
Version:	11.81	Issue date: 14.12.2023	Page 7 / 8

# Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a) ; VOC limit value: 30 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 30

# National regulations

# **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

#### 15.2. Chemical Safety Assessment

#### For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
CAS No.		
231-847-6	Copper sulphate pentahydrate	01-2119520566-40
7758-99-8		

# **SECTION 16: Other information**

Full text of classificat	tion in section 2:			
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.		
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.		
Aquatic Acute 1 / H400		Very toxic to aquatic organisms.		
Aquatic Chronic 1 / H4		Very toxic to aquatic life with long lasting		
		effects.		
		eneola.		
Classification proced				
	res and used evaluation method according to regu			
Eye Irrit. 2	Serious eye damage/eye irritation	Calculation method.		
Aquatic Chronic 3	Hazardous to the aquatic environment	Calculation method.		
Abbreviations and ac				
	European Agreement concerning the International	Carriage of Dangerous Goods by Road		
	Occupational Exposure Limit Value			
	Biological Limit Value			
	Chemical Abstracts Service			
	Classification, Labelling and Packaging			
	Carcinogenic, Mutagenic and Reprotoxic			
	German Institute for Standardization / German ind	ustrial standard		
	Derived No-Effect Level			
	European Waste Catalogue Directive			
	Effective Concentration			
	European Community			
	European Standard			
	International Air Transport Association – Dangerous Goods Regulations			
	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bul			
	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangero			
	Goods by Air			
	International Maritime Code for Dangerous Goods			
	International Organization for Standardization			
	Lethal Concentration			
	Lethal Dose			
	Maritime Pollution: The International Convention for			
	Organisation for Economic Cooperation and Development			
	persistent, bioaccumulative, toxic			
-	Predicted No Effect Concentration			
	Registration, Evaluation, Authorisation and Restric			
	Regulations concerning the International Carriage	or Dangerous Goods by Rail		
	United Nations			
	Volatile Organic Compounds			
	very persistent and very bioaccumulative			
Data courcos				

# Data sources

Data arise from reference works and literature.

# **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]



Article No.:	42-1-2	Edel-Rost	
Print date:	09.04.2024	Revision date: 14.12.2023	EN
Version:	11.81	Issue date: 14.12.2023	Page 8 / 8

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.