## according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



40-9-1 Grundierung für Nachleuchtdispersion Article No.:

Print date: 09.04.2024 Revision date: 08.01.2024 ΕN Issue date: 08.01.2024 Page 1 / 8 Version:

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Article No. (manufacturer/supplier): 40-9-1

Trade name/designation Grundierung für Nachleuchtdispersion

weiß

wasserverdünnbar

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Varnish / paint

Uses advised against

Aware of any other information

Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

P.A. Jansen GmbH u. Co., KG

Hochstadenstraße 22 Telephone: +49 2641 3897-0 D-53474 Bad Neuenahr-Ahrweiler Telefax: +49 2641 3897-28 Homepage: www.jansen.de

Department responsible for information:

laboratory

E-mail (competent person) sicherheitsdatenblatt@jansen.de

1.4. Emergency telephone number

+49 2641 3897-51 Emergency telephone number

Only available during office hours.

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Hazard pictograms** 

**Hazard statements** 

No data available

**Precautionary statements** 

No data available

Hazard components for labelling

No data available

Supplemental hazard information

**EUH211** Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

**EUH210** Safety data sheet available on request.

2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

**Mixtures** 

Description waterbased effect paint

Classification according to Regulation (EC) No 1272/2008 [CLP]

**REACH No.** EC No. CAS No. Designation Index No.

weight-%

## according to Regulation (EC) No. 1907/2006 (REACH)





40-9-1 Grundierung für Nachleuchtdispersion Article No.:

Print date: 09.04.2024 Revision date: 08.01.2024 ΕN Issue date: 08.01.2024 Page 2 / 8 Version:

classification: // Remark

236-675-5 01-2119489379-17

3 - 5 13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with

022-006-00-2 aerodynamic diameter ≤ 10 µm]

Carc. 2 H351

#### Additional information

Full text of classification: see section 16

#### **SECTION 4: First aid measures**

#### Description of first aid measures

#### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

#### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

#### Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

#### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

#### Unsuitable extinguishing media

strong water jet

#### Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

#### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

#### **Environmental precautions**

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

#### Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

#### Reference to other sections

Observe protective provisions (see section 7 and 8).

#### **SECTION 7: Handling and storage**

## according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



40-9-1 Grundierung für Nachleuchtdispersion Article No.:

Print date: 09.04.2024 Revision date: 08.01.2024 ΕN Issue date: 08.01.2024 Page 3 / 8 Version:

#### 7.1. Precautions for safe handling

#### Advices on safe handling

Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

#### **Further information**

No special measures are required.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 8 °C and 30 °C. Protect from heat and direct sunlight.

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

#### SECTION 8: Exposure controls/personal protection

#### Control parameters

## Occupational exposure limit values

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

WEL, TWA: 10 mg/m3 Remark: (inhalable fraction) WEL, TWA: 4 mg/m3 Remark: (respirable fraction)

### **Additional information**

TWA: Long-term occupational exposure limit value STEL: short-term occupational exposure limit value

Ceiling: peak limitation

#### DNEL:

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7 DNEL long-term inhalative (local), Workers: 10 mg/m<sup>3</sup>

DNEL long-term oral (repeated), Consumer: 700 mg/kg

### PNEC:

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] Index No. 022-006-00-2 / EC No. 236-675-5 / CAS No. 13463-67-7

PNEC aquatic, freshwater: 0,184 mg/L PNEC aquatic, marine water: 0,0184 mg/L PNEC aquatic, intermittent release: 0,193 mg/L PNEC sediment, freshwater: 1000 mg/kg PNEC sediment, marine water: 100 mg/kg

PNEC, soil: 100 mg/kg

PNEC sewage treatment plant (STP): 100 mg/L

#### **Exposure controls**

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

### Personal protection equipment

## Respiratory protection

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878



Article No.: 40-9-1 Grundierung für Nachleuchtdispersion

Print date: 09.04.2024 Revision date: 08.01.2024 EN Version: 9.78 Issue date: 08.01.2024 Page 4 / 8

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number. Observe the weartime limits as specified by the manufacturer. Recommended respiratory protection articles: Inadequately ventilated workplaces and spraying procedures are necessary. Fresh air mask or short-time work combination filter A2-P2 are recommended.

### **Hand protection**

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin.

#### Eye/face protection

Wear closely fitting protective glasses in case of splashes.

#### **Body protection**

No special measures are necessary.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:

Colour:

Odour:

Odour threshold:

Melting point/freezing point:

Initial boiling point and boiling range:

No data available

Flammability:

No data available

Lower and upper explosion limit:

Lower explosion limit:
Upper explosion limit:
No data available
Plash point:
No data available
Auto-ignition temperature:
No data available
Decomposition temperature:
No data available

pH at 20 °C: inapplicable / 100,0 weight-%

Cinematic viscosity (40°C): > 20,5 mm<sup>2</sup>/s

Viscosity at 20 °C: 30 s 6 mm

Method: DIN 53211

Solubility(ies):

Water solubility at 20 °C:

Partition coefficient: n-octanol/water:

Vapour pressure at 20 °C:

No data available

No data available

Density and/or relative density:

Density at 20 °C: 1,56 g/cm<sup>3</sup>

Method: DIN 53217

Relative vapour density:

No data available particle characteristics:

not applicable

9.2. Other information

Solid content: 76 weight-%

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878



Article No.: 40-9-1 Grundierung für Nachleuchtdispersion

Print date: 09.04.2024 Revision date: 08.01.2024 EN Version: 9.78 Issue date: 08.01.2024 Page 5 / 8

solvent content:

Organic solvents: 1 weight-% Water: 23 weight-%

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5. Incompatible materials

not applicable

#### 10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Acute toxicity**

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

oral, LD50, Rat: > 5000 mg/kg

Method: OECD 425

dermal, LD50, Rabbit: > 2000 mg/kg

inhalative (dust and mist), LC50, Rat 3,43 - 5,09 mg/L (4 h)

Method: OECD 403

## Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

## Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### 11.2. Information on other hazards

## **Endocrine disrupting properties**

No information available.

## according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



40-9-1 Grundierung für Nachleuchtdispersion Article No.:

Print date: 09.04.2024 Revision date: 08.01.2024 ΕN Page 6 / 8 Issue date: 08.01.2024 Version:

#### **SECTION 12: Ecological information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

There is no information available on the preparation itself.

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): > 100 mg/L (96 h)

Daphnia toxicity, LC50, Daphnia magna: > 100 mg/L (48 h)

Algae toxicity, EC50, Pseudokirchneriella subcapitata: 16 mg/L (72 h)

#### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. Persistence and degradability

Toxicological data are not available.

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### **Bioconcentration factor (BCF)**

titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] Bioconcentration factor (BCF), Oncorhynchus mykiss (Rainbow trout): 19 - 352

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

No information available.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal / Product

#### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation.

#### List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

#### Appropriate disposal / Package

#### Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

### **SECTION 14: Transport information**

No dangerous good in sense of this transport regulation.

#### 14.1. UN number or ID number

No data available

## 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

No data available

## 14.4. Packing group

No data available

#### 14.5. Environmental hazards

Land transport (ADR/RID)

No data available

## according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



40-9-1 Grundierung für Nachleuchtdispersion Article No.:

Print date: 09.04.2024 Revision date: 08.01.2024 ΕN Issue date: 08.01.2024 Page 7 / 8 Version:

Marine pollutant No data available

#### 14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

#### **Further information**

#### Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No. No data available

#### 14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** legislation

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive] This product is not classified according to Directive 2012/18/EU.

#### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

VOC product category: (Cat. A/a); VOC limit value: 30 g/l

Maximum VOC content of the product in a ready to use condition (in g/L): 30

## **National regulations**

#### **Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

#### 15.2. Chemical Safety Assessment

## For the following substances of this mixture a chemical safety assessment has been carried out:

EC No.	Designation	REACH No.
<b>CAS No.</b> 236-675-5	titanium dioxide [in powder form containing 1 % or more of particles	01-2119489379-17
13463-67-7	with aerodynamic diameter ≤ 10 µm]	

#### **SECTION 16: Other information**

## Full text of classification in section 3:

Carc. 2 / H351 Carcinogenicity Suspected of causing cancer if inhaled.

#### Abbreviations and acronyms

**ADR** European Agreement concerning the International Carriage of Dangerous Goods by Road

**OEL** Occupational Exposure Limit Value

BLV Biological Limit Value CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging **CMR** Carcinogenic, Mutagenic and Reprotoxic

DIN German Institute for Standardization / German industrial standard

DNFL Derived No-Effect Level

European Waste Catalogue Directive FAK\/

EC **Effective Concentration** EC **European Community** ΕN European Standard

IATA-DGR International Air Transport Association – Dangerous Goods Regulations

**IBC Code** International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO-TI International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous

Goods by Air

**IMDG** Code International Maritime Code for Dangerous Goods ISO International Organization for Standardization

# according to Regulation (EC) No. 1907/2006 (REACH) according to Regulation (EU) 2020/878



Article No.: 40-9-1 Grundierung für Nachleuchtdispersion

Print date: 09.04.2024 Revision date: 08.01.2024 EN Version: 9.78 Issue date: 08.01.2024 Page 8 / 8

LC Lethal Concentration

LD Lethal Dose

MARPOL Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OECD Organisation for Economic Cooperation and Development

PBT persistent, bioaccumulative, toxic
PNEC Predicted No Effect Concentration

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

UN United Nations

VOC Volatile Organic Compounds

vPvB very persistent and very bioaccumulative

#### **Data sources**

Data arise from reference works and literature.

#### **Further information**

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.